



Test Report

CUSTOMER:

ATTENTION: Mr. Francisco Javier García Martín

Micuna, SL / Extension Albufera, S/N
46430 Sollana
Valencia, Spain

Conclusion:

<u>Tested Samples</u>	<u>Standard</u>	<u>Result</u>
MO-1456 Smart Max	ASTM F2194 – Bassinets and Cradle Test	Pass
	16 CFR 1500 – Flammability	Pass
	CPSIA Sec. 101 – Total Lead in Substrates	Pass
	16 CFR1303 – Total Lead in Coatings	Pass
	California Prop. 65 – Lead and Cadmium	Pass
	California Prop. 65 – 6 Phthalates	Pass

SIGNED FOR THE COMPANY BY:

William M. Baumann
Laboratory Director

The test results stated in this report relate only to the item(s) tested. This test report may not be reproduced except in full, without written approval of AM Testing & Services.
Tests identified with an asterisk (*) have been subcontracted.

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. Anyone relying on this report should understand all of the details of the engagement. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced without prior written permission of AM Testing & Services Inc.



Technical Report

Sample ID: MO-1456 Smart Max

Sample No.

- 1) Coating, white
- 2) Substrate, metal lock nut
- 3) Substrate, metal bolt
- 4) Substrate, washer on casters
- 5) Substrate, gray plastic on casters
- 6) Substrate, wheels
- 7) Substrate, metal rings
- 8) Coating, white (on snap buttons) – Insufficient for testing
- 9) Substrate, metal screw on casters

Item 1: ASTM F2194 – Bassinets and Cradle Test

Item 2: 16 CFR 1500 – Flammability

Item 3: CPSIA Sec. 101 – Total Lead in Substrates

Item 4: 16 CFR1303 – Total Lead in Coatings

Item 5: California Prop. 65 – Lead and Cadmium

Item 6: California Prop. 65 – 6 Phthalates

Item 1: Results for testing according to **ASTM F2194 Bassinet and Cradle Testing** are listed below

P = Pass		F = Fail		N/A = Not Applicable	
5.0	General Requirements	P	F	N/A	
5.1	16 CFR 1303 Lead in Coatings	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
5.2	Sharp Edges or Points	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
5.3	16 CFR 1501 Small Parts	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
5.4	Wood Parts	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
5.5	Scissoring, Shearing, or Pinching	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
5.6	Unintentional Folding	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. Anyone relying on this report should understand all of the details of the engagement. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced without prior written permission of AM Testing & Services Inc.

AM Testing & Services



5.7	Openings	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5.8	Labeling	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5.9	Fasteners	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5.10	Corner Posts	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5.11	Toy Accessories (ASTM F963)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5.12	Bassinet/Cradle Accessory	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5.13	Occupant Restraint System	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
6.0	Performance Requirements			
6.1	Spacing of Rigid Sided Products	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
6.2	Openings for Mesh/Fabric Sides	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.3	Static Load	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.4	Stability	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.5	Sleeping Pad	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.5.1	Sleeping Pad Provided	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.5.2	Pad Thickness Fabric / Mesh	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.5.3	Pad Dimensions	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.5.4	Side Height	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.6	Protective Components	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.7	Flatness Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.8	Mesh Sided Enclosed Openings	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
6.9	Tock/Swing Angle	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
8.0	Marking and Labeling			
8.1	Required Labeling	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.1.1	Manufacturer's I.D.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.1.2	Date Code	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.1.3	Markings Permanent	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.2	Upholstery Label	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.3	Warning Statements/Size	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.4	Additional Warnings	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.4.1	Fall Hazard	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.4.2	Suffocation Hazard	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.5	Additional Warnings	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.5.1	Sheet Warning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9.0	Instructional Literature			
9.1	Clarity, Retention, etc.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9.1.1	Warnings per Section 8	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9.1.2	Strangulation Hazard	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9.2	Warning Statements/Size	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Model in complete compliance with standard? Yes No

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. Anyone relying on this report should understand all of the details of the engagement. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced without prior written permission of AM Testing & Services Inc.



Item 2: Results for Flammability testing according to ASTM F963-11 Sec. 4.2 & Annex A5 are listed below

ASTM F963-11 Section 4.2 & Annex A5: Flammability of Solids					
Sample	Ignition Point	Burn Length (in)	Burn Time (sec)	Burn Rate (in/sec)	Pass / Fail
MO-1456 Smart Max	Edge	1.75	60	0.03	Pass

DNI = Did not ignite

in = Inches

sec = Seconds

IBSE = Ignited but self extinguished

Item 3: Results for Total Lead in Substrates testing according to CPSIA Section 101 are listed below

CPSIA Section 101: Total Lead in Substrates		
Analyte		Lead (Pb)
Substrate Limit (mg/kg)		100
Sample No.	Sample Type	Results (mg/kg)
2	Substrate	BDL
3	Substrate	52.01
4	Substrate	BDL
5	Substrate	BDL
6	Substrate	BDL
7	Substrate	36.53
9	Substrate	39.41

BDL = <1.0ppm

ppm = parts per million = mg/kg = milligrams per kilogram

Item 4: Results for Total Lead in Coatings testing according to CPSIA 16 CFR 1303 are listed below

CPSIA 16 CFR 1303: Total Lead in Coatings		
Analyte		Lead (Pb)
Coating Limit (mg/kg)		90
Sample No.	Sample Type	Results (mg/kg)
1	Coating	BDL

BDL = <1.0ppm

ppm = parts per million = mg/kg = milligrams per kilogram

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. Anyone relying on this report should understand all of the details of the engagement. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced without prior written permission of AM Testing & Services Inc.



Item 5: Results for Lead and Cadmium testing according to California Prop. 65 are listed below

California Prop. 65: Total Lead and Cadmium		
Analyte	Lead (Pb)	Cadmium (Cd)
Limit (mg/kg)	90	100
Sample No.	Results (mg/kg)	
1	BDL	BDL
2	BDL	BDL
3	52.01	20.23
4	BDL	BDL
5	BDL	BDL
6	BDL	BDL
7	36.53	BDL
9	39.41	41.82

BDL = <1.0ppm

ppm = parts per million = mg/kg = milligrams per kilogram

Item 6: Results for Phthalate testing according to California Proposition 65 are listed below

The 1000 mg/kg limit for the banned phthalates applies to each individual phthalate, not the total amount of these phthalates in the product.

California Prop. 65: Phthalates						
Phthalate	DEHP	DBP	BBP	DINP	DIDP	DnHP
Limit (mg/kg)	1000	1000	1000	1000	1000	1000
Sample No.	Results (mg/kg)					
1	ND	ND	ND	ND	ND	ND
2	ND	ND	ND	ND	ND	ND
5	ND	ND	ND	ND	ND	ND
6	ND	ND	ND	ND	ND	ND

ND = <100 mg/kg


ppm = parts per million = mg/kg = milligrams per kilogram

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. Anyone relying on this report should understand all of the details of the engagement. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced without prior written permission of AM Testing & Services Inc.

SAMPLE PHOTOS:



This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. Anyone relying on this report should understand all of the details of the engagement. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced without prior written permission of AM Testing & Services Inc.



MO-1456 SMART MAX Assembly Instructions

*** END OF REPORT ***

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. Anyone relying on this report should understand all of the details of the engagement. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced without prior written permission of AM Testing & Services Inc.

AM Testing & Services

11625 S. Mayfield Ave • Alsip, Illinois 60803 • Telephone: 708-907-5252 • AMTestinginc.com

Page 7 of 7